



# भारत का राजपत्र The Gazette of India

असाधारण

EXTRAORDINARY

भाग I—खण्ड 1

PART I—Section 1

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं० 72] नई दिल्ली, मंगलवार, अप्रैल 23, 1968/वैशाख 3, 1890

No. 72] NEW DELHI, TUESDAY, APRIL 23, 1968/VAISAKHA 3, 1890

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके।

Separate paging is given to this Part in order that it may be filed as a separate compilation.

MINISTRY OF COMMERCE

PUBLIC NOTICES

IMPORT TRADE CONTROL

New Delhi, the 23rd April, 1968

SUBJECT :—ERRATA No. 3—*Import Policy for the year April 1968—March, 1969.*

No. 65-ITC (PN) 168—Attention is invited to the Ministry of Commerce Public Notices No. 50-ITC (PN)/68 dated the 1st April, 1968, 54-ITC (PN)/68 dated the 2nd April 1968, 58-ITC (PN)/68 dated the 8th April, 1968 and 59-ITC (PN)/68 dated the 11th April, 1968 issued on the above subject. The following further amendments shall be made in Volume I of the current Red Book at appropriate places :—

Page No. of Vol. I of the Red Book	Reference	Details of corrections
40	Section II, S.No. 43(d)/II, Column 4	The following additional remark may be deemed to have been inserted :—  “(ii) Import of cables and wires of the types specified in Appendix 37 will not be allowed against licences issued under his or any other S. No. of the I.T.C. Schedule”

Page No. of Vol. I of the Red Book	Reference	Details of corrections
40	Section II, S. No. 45 (a)/II, Column 4	The following additional remark may be deemed to have been inserted :—  “(ii) Import of cables and wires of the types specified in Appendix 37 will not be allowed against licences issued under this or any other S. No. of the I.T.C. Schedule.”
129	Section V, Appendix I, S. No. 12	After the word ‘Castings’ the word ‘Forgings’ may be deemed to have been inserted.
202	Section V, Appendix 19, Para 1 (iii).	(1) In line 2, for ‘provision in (ii) above’, read ‘provisions in (i) or (ii) above’. (2) In line 5, for the word ‘or’, substitute the word ‘and’.
205—208 & 213—214	Section V, Appendix 19, Lists I & II.	The following corrections may be deemed to have been made:—

## List I

Item No.	Correction
47	For ‘Conadetrophin’, Read ‘Gonadetrophin’.

## List II

35	For ‘L’, Read ‘C’.
41	The word ‘and’ may be deemed to have been deleted.
78	The words ‘including preparations thereof’ may be deemed to have been deleted.

233	Section V, Appendix 24, Item No. 51	C.I. No. ‘16711’ may be deemed to have been deleted.
233	Section V, Appendix 24, Item No. 52.	C.I. No. ‘15711’ may be deemed to have been inserted against this item.
250	Section V, Appendix 26, Para 1 (iii)	In line five, For the word ‘or’, substitute the word ‘and’.
259-260 & 263-264	Section V, Appendix 28, Lists II & IV	The following corrections may be deemed to have been made :—

## List II

Item No.	Correction
(7) (v)	For ‘Keytone’, Read ‘Ketone’.
(16)	For, ‘Trixylene’ Read ‘Triphenyl’

Page No. of Vol. I of the Red Book	Reference	Details of corrections
--	-----------	------------------------

*List IV*

	Item No.	Correction
	36	<i>For 'Cadmium', Read 'Calcium'.</i>
	69	<i>For 'Di-isotyl', Read 'Di-iso-octyl'.</i>
	70	<i>For 'Diphenylamine', Read 'Diphenylamine'.</i>
275	Section V, Appendix 29. Items 19 & 20 Section V	These items may be deemed to have been deleted.  After Appendix 36, a new Appendix 37 as annexed to this Public Notice may be deemed to have been inserted.

## ANNEXURE

## APPENDIX 37

(Section II-S. Nos. 43(d)/II and 45(a)/II)

*List I*

## BANNED TYPES OF VIR CABLES AND WIRES

List of VIR Insulated cables, wires and flexible cords 250/440 and 650/1100 volts grade of the types given below, upto 625 sq. mm. cross section :

## (a) CABLES AND WIRES

1. Single core, taped, braided and compounded.
2. Flat twin, taped, braided and compounded.
3. Single core, taped, braided and compounded with special flame resisting compound.
4. Single core, taped, asbestos braided and treated with special fire resisting compound.
5. Circular twin/3-core taped, braided and compounded.
6. Single/Twin, braided and compounded (weather-proof).
7. Single/Circular twin/Circular 3-core tough rubber sheathed.
8. Flat twin/flat 3-core tough rubber sheathed.
9. Flat twin/flat 3-core tough rubber sheathed figure '8' shaped.
10. Flat twin tough rubber sheathed with earth continuity conductor.
11. Single/Circular twin/Circular 3-core lead-alloy sheathed.
12. Flat twin/flat 3-core lead-alloy sheathed.
13. Flat twin/flat 3-core lead-alloy sheathed with earth continuity conductor.
14. Single/Circular twin/Circular 3-core single wire armoured (left bare).
15. Single/Circular twin/Circular 3-core single wire armoured (served).
16. Single/Circular twin/Circular 3-core lead-alloy sheathed single wire armoured (left bare).

17. Single/Circular twin/Circular 3-core lead-alloy sheathed and single wire armoured (served).
18. Single Dynamo flexible, taped, braided and compounded.
19. Single core dynamo flexible cable.
20. Single/Circular twin/Circular 3-core/Circular 4-core tough rubber sheathed flexible.
21. Flat twin/3-core lead-alloy sheathed with earth continuity conductor.
22. Welding cables standard and special flexibility upto 1000 sq. mm.

(b) FLEXIBLE CORDS (Cross-sectional areas of the core being upto 4 sq. mm.).

1. Twisted twin/circular twin, glass cotton and artificial silk braided and workshop type.
2. Twisted 3-core/circular 3-core glass cotton and artificial silk braided and workshop type.
3. Twin/3-core/4-core tough rubber sheathed.
4. Twin 3-core unkinkable domestic flexibles.
5. Circular twin/circular 3-core, workshop flexible, taped cotton braided, wax impregnated and braided overall with fine galvanised steel wires.
6. Circular twin/circular 3-core, workshop flexible taped cotton braided, wax impregnated, galvanised steel wire armoured.
7. Circular twin/circular 3-core tough rubber sheathed and braided with fine galvanised steel wires.

(c) VIR Insulated flexible cables of 250/440 and 650/1100 volt grade of the types and sizes upto 400 sq. mm. given below :—

1. Single/circular twin/circular 3-core, taped braided and compounded.
2. Single/circular twin/circular 3-core tough rubber sheathed.
3. Single/circular twin/circular 3-core/circular 4-core tough rubber sheathed flexible.
4. Single dynamo flexible, taped, braided and compounded.

*List II*

**BANNED TYPES OF PLASTIC INSULATED CABLES AND WIRES**

List of Plastic insulated cables, wires, flexible cords/cables 250/440 volts and 650/1100 volts grade of the types given below :—

(a) CABLES AND WIRES upto 400 sq. mm.

1. Plastic insulated single core cables.
2. Plastic insulated and sheathed single core/flat twin/flat three-core cables.
3. Plastic insulated and sheathed circular twin/three/four core cables.

(b) FLEXIBLE CORDS/CABLES upto 4 sq. mm.

1. Plastic insulated, twisted twin cords.
2. Parallel twin cords.
3. Plastic insulated and sheathed twin/three/four core flexible cords.

*List III***BANNED TYPES OF PAPER INSULATED, LEAD OR ALUMINIUM SHEATHED,  
ARMoured OR UNARMoured CABLES**

- (i) 1.1 kv single core cables.
- (ii) 1.1 kv two core belted cables.
- (iii) 1.1 kv three core belted cables.
- (iv) 1.1 kv four core belted cables (Equal Conductors).
- (v) 1.1 kv four core belted cables (Reduced neutral).
- (vi) 1.1 kv five core belted cables (four core cables with an additional special purpose core).
- (vii) 1.1 kv cables for signalling or control purposes.
- (viii) 1.9/3.3 kv single core cables for earthed systems.
- (ix) 3.3 kv single core cables for unearthed systems.
- (x) 1.9/3.3 kv three core belted cables for earthed systems.
- (xi) 3.3 kv three core belted cables for unearthed systems.
- (xii) 3.8/6.6 kv single core cables for earthed systems.
- (xiii) 6.6 kv single core cables for unearthed systems.
- (xiv) 3.8/6.6 kv three core belted cables for earthed systems.
- (xv) 6.6 kv three core belted cables for unearthed systems.
- (xvi) 6.35/11 kv single core cables for earthed systems.
- (xvii) 6.35/11 kv single core screened cables for earthed systems.
- (xviii) 11 kv single core cables for unearthed systems.
- (xix) 11 kv single core screened cables for unearthed systems.
- (xx) 6.35/11 kv three core belted cables for earthed systems.
- (xxi) 6.35/11 kv three core screened cables for earthed systems.
- (xxii) 11 kv three core belted cables for unearthed systems.
- (xxiii) 11 kv three core screened cables for unearthed systems.
- (xxiv) 12.7/22 kv single core screened cables for earthed systems.
- (xxv) 12.7/22 kv three core screened cables for earthed systems.
- (xxvi) 12.7/22 kv three core separately lead sheathed cables for earthed systems.
- (xxvii) 19/35 kv single core screened cables for earthed systems.
- (xxviii) 19/33 kv three core screened cables for earthed systems.
- (xxix) 19/33 kv three core separately lead sheathed cables for earthed systems.

*List IV***BANNED TYPES OF PLASTIC INSULATED HEAVY DUTY TYPE CABLES  
ARMoured OR UNARMoured TYPES FOR VOLTAGE GRADE OF 1.1 kv**

1. Single Core Cables and Wires, Sheathed or Unsheathed, all sizes.
2. Two Core Cables PVC or any other plastic sheathed, Flat or Circular.
3. Three Core Cables with PVC or any other Plastic Outersheath upto 25 sq. mm.

4. Four Core Cables with FVC or any other Plastic Outersheath upto 400 sq. mm.
5. Four Core Cables (with reduced neutral) with PVC or any other Plastic Outersheath upto 400 sq. mm./240 sq. mm.
6. Multicore Cables upto 61 cores and conductor cross section upto 10 mm. with PVC or any other Plastic Outersheath.
7. Three Core (upto 625 sq. mm.) or Four Core (upto 400 sq. mm.) cables with an additional Conductor, and with PVC or other Plastic Outersheath.
8. All Cables mentioned in 1 to 7 above, with Jute or Hessian serving.
9. All Cables as at items 1 to 8 above, with armouring of non-magnetic materials.
10. All Cables as at items 1 to 9 above, with concentric neutral.
11. Cables having metallic sheathing.
12. Weatherproof/House Service-Over Head Service cables.
13. Switchboard Wiring cables.
14. Cables for Signalling or Control purposes.
15. Automobile cables.
16. Mining cables.
17. Trailing cables.

SUB. :—*Import Policy for Registered Exporters for the year April, 1968—March, 1969.*

**No. 66-ITC(PN)/68.** Attention is invited to the Import Policy for Registered Exporters contained in Volume II of the Import Trade Control Policy Book (Red Book) for the year April 1968--March, 1969 issued under the Ministry of Commerce Public Notice No. 50-ITC (PN)/68, dt. 1-4-68.

2. The following corrections may be made at the appropriate places in the Volume II of the Red Book :—

Page No. of Red Book (Volume II)	Reference	Amendments						
1	2	3						
<b>A. Engineering Goods.</b>								
32	A. 63	The existing entry may be amended to read as "Buckets, Tubs and similar containers, galvanised".						
43	Col. 2	After item A. 165, the following item may be added in Columns 1, 2 & 3 :—						
		<table> <tr> <th>1</th><th>2</th><th>3</th></tr> <tr> <td>A. 166</td><td>Teleprinter machines and accessories</td><td>20%</td></tr> </table>	1	2	3	A. 166	Teleprinter machines and accessories	20%
1	2	3						
A. 166	Teleprinter machines and accessories	20%						
<b>B. Chemicals and Allied Products.</b>								
62		After item B. 61, the following item may be added in Columns 1, 2 & 3 :—						
		<table> <tr> <th>1</th><th>2</th><th>3</th></tr> <tr> <td>B. 62</td><td>Foam compound</td><td>10%</td></tr> </table>	1	2	3	B. 62	Foam compound	10%
1	2	3						
B. 62	Foam compound	10%						

1	2	3
D. <i>Leather and Leather Goods.</i> 68-69	D. 2·1 Col. 4	After entry (j), the following may be added :— “(k) Synthetic Rubber-Nooprene A/C (for adhesives). (l) Micrometer leather thickness measuring gauges.”.

3. Consequent to the above changes, the following corrections may also be made at the appropriate places in the Index of Volume II of the Red Book :—

S. No.	Page No. of the Index	Corrections																																		
<hr/>																																				
A. <i>Engineering Goods.</i>																																				
1. vii		After the item "Bronze Welding rods (if rolled/drawn/extruded)" the following may be inserted in Columns 1 & 2 :—																																		
		<table><tr><td>1</td><td>2</td></tr><tr><td colspan="2"><hr/></td></tr><tr><td></td><td>Buckets, tubs and other similar containers, galvanised. A. 63</td></tr><tr><td>2. xv</td><td>The entry "G. I. Buckets (all types)" may be deleted.</td></tr><tr><td>3. xxix</td><td>After the item "Telephone Exchange Power Packs", A. 63</td></tr><tr><td></td><td>the following may be inserted in Columns 1 &amp; 2 :—</td></tr><tr><td></td><td><table><tr><td>1</td><td>2</td></tr><tr><td colspan="2"><hr/></td></tr><tr><td></td><td>Teleprinter machines and accessories . A. 166</td></tr><tr><td>4. xxxv</td><td>After the item "Fluorescent bleaching against",</td></tr><tr><td></td><td>the following may be inserted in Columns 1 &amp; 2 :—</td></tr><tr><td></td><td><table><tr><td>1</td><td>2</td></tr><tr><td colspan="2"><hr/></td></tr><tr><td></td><td>Foam compound</td></tr><tr><td></td><td>B. 62</td></tr></table></td></tr></table></td></tr></table>	1	2	<hr/>			Buckets, tubs and other similar containers, galvanised. A. 63	2. xv	The entry "G. I. Buckets (all types)" may be deleted.	3. xxix	After the item "Telephone Exchange Power Packs", A. 63		the following may be inserted in Columns 1 & 2 :—		<table><tr><td>1</td><td>2</td></tr><tr><td colspan="2"><hr/></td></tr><tr><td></td><td>Teleprinter machines and accessories . A. 166</td></tr><tr><td>4. xxxv</td><td>After the item "Fluorescent bleaching against",</td></tr><tr><td></td><td>the following may be inserted in Columns 1 &amp; 2 :—</td></tr><tr><td></td><td><table><tr><td>1</td><td>2</td></tr><tr><td colspan="2"><hr/></td></tr><tr><td></td><td>Foam compound</td></tr><tr><td></td><td>B. 62</td></tr></table></td></tr></table>	1	2	<hr/>			Teleprinter machines and accessories . A. 166	4. xxxv	After the item "Fluorescent bleaching against",		the following may be inserted in Columns 1 & 2 :—		<table><tr><td>1</td><td>2</td></tr><tr><td colspan="2"><hr/></td></tr><tr><td></td><td>Foam compound</td></tr><tr><td></td><td>B. 62</td></tr></table>	1	2	<hr/>			Foam compound		B. 62
1	2																																			
<hr/>																																				
	Buckets, tubs and other similar containers, galvanised. A. 63																																			
2. xv	The entry "G. I. Buckets (all types)" may be deleted.																																			
3. xxix	After the item "Telephone Exchange Power Packs", A. 63																																			
	the following may be inserted in Columns 1 & 2 :—																																			
	<table><tr><td>1</td><td>2</td></tr><tr><td colspan="2"><hr/></td></tr><tr><td></td><td>Teleprinter machines and accessories . A. 166</td></tr><tr><td>4. xxxv</td><td>After the item "Fluorescent bleaching against",</td></tr><tr><td></td><td>the following may be inserted in Columns 1 &amp; 2 :—</td></tr><tr><td></td><td><table><tr><td>1</td><td>2</td></tr><tr><td colspan="2"><hr/></td></tr><tr><td></td><td>Foam compound</td></tr><tr><td></td><td>B. 62</td></tr></table></td></tr></table>	1	2	<hr/>			Teleprinter machines and accessories . A. 166	4. xxxv	After the item "Fluorescent bleaching against",		the following may be inserted in Columns 1 & 2 :—		<table><tr><td>1</td><td>2</td></tr><tr><td colspan="2"><hr/></td></tr><tr><td></td><td>Foam compound</td></tr><tr><td></td><td>B. 62</td></tr></table>	1	2	<hr/>			Foam compound		B. 62															
1	2																																			
<hr/>																																				
	Teleprinter machines and accessories . A. 166																																			
4. xxxv	After the item "Fluorescent bleaching against",																																			
	the following may be inserted in Columns 1 & 2 :—																																			
	<table><tr><td>1</td><td>2</td></tr><tr><td colspan="2"><hr/></td></tr><tr><td></td><td>Foam compound</td></tr><tr><td></td><td>B. 62</td></tr></table>	1	2	<hr/>			Foam compound		B. 62																											
1	2																																			
<hr/>																																				
	Foam compound																																			
	B. 62																																			

P. D. KASBEKAR,  
Chief Controller of Imports and Exports.

